



Customer: Silver Lining Xtracts

Product identity: CBD Isolate
Client/Metric ID: CBD Isolate
Laboratory ID: 19-014538-0001
Temp: 15.6 °C
Relinquished by: Zack Holden
Weight Received: 2 g

Sample Results

| Purity | | | | | | | |
|-----------------|--------|--------|-------|-----|---------|---------------|-------|
| Analyte | Result | Limits | Units | LOQ | Batch | Method | Notes |
| Chemical Purity | 99.1 | | % | | 1911131 | Purity by FID | |

Mass-balance purity assay performed by GC-FID. The reported result is accurate within an expanded uncertainty of ± 0.3%(w/w).

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with:



These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

g = Gram

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

A handwritten signature in blue ink, appearing to read "D. Tanner", written over a horizontal line.

Derrick Tanner
General Manager



Explanation of QC Flag Comments:

| Code | Explanation |
|------|---|
| Q | Matrix interferences affecting spike or surrogate recoveries. |
| Q1 | Quality control result biased high. Only non-detect samples reported. |
| Q2 | Quality control outside QC limits. Data considered estimate. |
| Q3 | Sample concentration greater than four times the amount spiked. |
| Q4 | Non-homogenous sample matrix, affecting RPD result and/or % recoveries. |
| Q5 | Spike results above calibration curve. |
| Q6 | Quality control outside QC limits. Data acceptable based on remaining QC. |
| R | Relative percent difference (RPD) outside control limit. |
| R1 | RPD non-calculable, as sample or duplicate results are less than five times the LOQ. |
| R2 | Sample replicates RPD non-calculable, as only one replicate is within the analytical range. |
| LOQ1 | Quantitation level raised due to low sample volume and/or dilution. |
| LOQ2 | Quantitation level raised due to matrix interference. |
| B | Analyte detected in method blank, but not in associated samples. |
| B1 | The sample concentration is greater than 5 times the blank concentration. |
| B2 | The sample concentration is less than 5 times the blank concentration. |

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

CBD Isolate

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M191901-01

METRC Batch #:

Batch Size: 30000g

Sampling Method/SOP: SOP.T.20.010

Matrix: Isolate

Pesticides

Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

| Analyte | LOQ | Action Level | Result | Units | Type |
|--------------------|-------|--------------|--------|-------|---------------------------------|
| Abamectin | 0.250 | 0.5 | < LOQ | ppm | |
| Acephate | 0.200 | 0.4 | < LOQ | ppm | Organophosphate insecticide |
| Acequinocyl | 1.00 | 2 | < LOQ | ppm | |
| Acetamiprid | 0.100 | 0.2 | < LOQ | ppm | Neonicotinoid insecticide |
| Aldicarb | 0.200 | 0.4 | < LOQ | ppm | Carbamate insecticide |
| Azoxystrobin | 0.100 | 0.2 | < LOQ | ppm | |
| Bifenazate | 0.100 | 0.2 | < LOQ | ppm | Unclassified insecticide |
| Bifenthrin | 0.100 | 0.2 | < LOQ | ppm | |
| Boscalid | 0.200 | 0.4 | < LOQ | ppm | Anilide fungicide |
| Carbaryl | 0.100 | 0.2 | < LOQ | ppm | Carbamate insecticide |
| Carbofuran | 0.100 | 0.2 | < LOQ | ppm | Carbamate insecticide |
| Chlorantranilprole | 0.100 | 0.2 | < LOQ | ppm | Anthranilic diamide insecticide |
| Chlorfenapyr | 0.500 | 1 | < LOQ | ppm | Pyrazole insecticide |
| Chlorpyrifos | 0.100 | 0.2 | < LOQ | ppm | Organophosphate insecticide |
| Clofentezine | 0.100 | 0.2 | < LOQ | ppm | |
| Cyfluthrin | 0.500 | 1 | < LOQ | ppm | |
| Cypermethrin | 0.500 | 1 | < LOQ | ppm | |
| Daminozide | 0.500 | 1 | < LOQ | ppm | |
| DDVP (Dichlorvos) | 0.500 | 1 | < LOQ | ppm | |
| Diazinon | 0.100 | 0.2 | < LOQ | ppm | Organophosphate insecticide |
| Dimethoate | 0.100 | 0.2 | < LOQ | ppm | |
| Ethoprophos | 0.100 | 0.2 | < LOQ | ppm | |
| Etofenprox | 0.200 | 0.4 | < LOQ | ppm | |
| Etoxazole | 0.100 | 0.2 | < LOQ | ppm | Unclassified miticide |
| Fenoxycarb | 0.100 | 0.2 | < LOQ | ppm | |
| Fenpyroximate | 0.200 | 0.4 | < LOQ | ppm | |
| Fipronil | 0.200 | 0.4 | < LOQ | ppm | Pyrazole insecticide |
| Fonicamid | 0.500 | 1 | < LOQ | ppm | Pyridinecarboxamide insecticide |
| Fludioxonil | 0.200 | 0.4 | < LOQ | ppm | non-systemic fungicide |
| Hexythiazox | 0.500 | 1 | < LOQ | ppm | |
| Imazalil | 0.100 | 0.2 | < LOQ | ppm | Azole fungicide |
| Imidacloprid | 0.200 | 0.4 | < LOQ | ppm | Neonicotinoid insecticide |
| Kresoxim-methyl | 0.200 | 0.4 | < LOQ | ppm | |
| Malathion | 0.100 | 0.2 | < LOQ | ppm | |
| Metalaxyl | 0.100 | 0.2 | < LOQ | ppm | |
| Methiocarb | 0.100 | 0.2 | < LOQ | ppm | Carbamate insecticide |



Stephanie Moon
 Laboratory Director

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

CBD Isolate

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M191901-01

METRC Batch #:

Batch Size: 30000g

Sampling Method/SOP: SOP.T.20.010

Matrix: Isolate

Pesticides

Analysis Method/SOP: SOP.T.40.050 / SOP.T.40.051

| Analyte | LOQ | Action Level | Result | Units | Type |
|--------------------|-------|--------------|--------|-------|------------------------------|
| Methomyl | 0.200 | 0.4 | < LOQ | ppm | Carbamate insecticide |
| Methyl parathion | 0.100 | 0.2 | < LOQ | ppm | |
| MGK-264 | 0.100 | 0.2 | < LOQ | ppm | |
| Myclobutanil | 0.100 | 0.2 | < LOQ | ppm | Azole fungicide |
| Naled | 0.250 | 0.5 | < LOQ | ppm | |
| Oxamyl | 0.500 | 1 | < LOQ | ppm | Carbamate insecticide |
| Paclobutrazol | 0.200 | 0.4 | < LOQ | ppm | Azole plant growth regulator |
| Permethrins | 0.100 | 0.2 | < LOQ | ppm | |
| Phosmet | 0.100 | 0.2 | < LOQ | ppm | Organophosphate insecticide |
| Piperonyl butoxide | 1.00 | 2 | < LOQ | ppm | |
| Prallethrin | 0.100 | 0.2 | < LOQ | ppm | |
| Propiconazole | 0.200 | 0.4 | < LOQ | ppm | |
| Propoxur | 0.100 | 0.2 | < LOQ | ppm | Carbamate insecticide |
| Pyrethrins | 0.500 | 1 | < LOQ | ppm | |
| Pyridaben | 0.100 | 0.2 | < LOQ | ppm | Unclassified insecticide |
| Spinosad | 0.100 | 0.2 | < LOQ | ppm | Spinosyn insecticide |
| Spiromesifen | 0.100 | 0.2 | < LOQ | ppm | Keto-enol insecticide |
| Spirotetramat | 0.100 | 0.2 | < LOQ | ppm | Keto-enol insecticide |
| Spiroxamine | 0.200 | 0.4 | < LOQ | ppm | Unclassified fungicide |
| Tebuconazole | 0.200 | 0.4 | < LOQ | ppm | |
| Thiacloprid | 0.100 | 0.2 | < LOQ | ppm | |
| Thiamethoxam | 0.100 | 0.2 | < LOQ | ppm | Neonicotinoid insectide |
| Trifloxystrobin | 0.100 | 0.2 | < LOQ | ppm | Strobin fungicide |

Results above the action level fail Oregon state testing requirements and will be highlighted **RED**.

LOQ= Limit of Quantitation; PPM= Parts per million; ND= Not detected; NT= Not tested; AC= Above calibration range. PASS/FAIL status based on OAR 333-007.



Stephanie Moon
 Laboratory Director

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

CBD Isolate

Silver Lining Xtracts LLC

AG-R1049952IHH

Sample ID: M191901-01

METRC Batch #:

Matrix: Isolate

Batch Size: 30000g

Sampling Method/SOP: SOP.T.20.010

Residual Solvents

| Analyte | LOQ | Action Level | Result | Units |
|---------------------|------|-------------------|--------|-------|
| Butanes | 250 | 5000 ³ | < LOQ | ppm |
| n-Butane | 250 | 5000 | < LOQ | ppm |
| iso-Butane | 250 | 5000 | < LOQ | ppm |
| Hexanes | 174 | 290 ⁴ | < LOQ | ppm |
| n-Hexane | 174 | 290 | < LOQ | ppm |
| 2-Methylpentane | 174 | 290 | < LOQ | ppm |
| 3-Methylpentane | 174 | 290 | < LOQ | ppm |
| 2,2-Dimethylbutane | 174 | 290 | < LOQ | ppm |
| 2,3-Dimethylbutane | 174 | 290 | < LOQ | ppm |
| Pentanes | 1400 | 5000 ⁵ | < LOQ | ppm |
| n-Pentane | 1400 | 5000 | < LOQ | ppm |
| iso-Pentane | 1400 | 5000 | < LOQ | ppm |
| Neopentane | 250 | 5000 | < LOQ | ppm |
| Xylenes | 1302 | 2170 | < LOQ | ppm |
| 1,2-Dimethylbenzene | 1302 | 2170 | < LOQ | ppm |
| 1,3-Dimethylbenzene | 1302 | 2170 | < LOQ | ppm |
| 1,4-Dimethylbenzene | 1302 | 2170 | < LOQ | ppm |
| Xylenes MP | 1302 | 2170 | < LOQ | ppm |
| Ethyl benzene | 1302 | NA | < LOQ | ppm |
| 2-Propanol (IPA) | 1400 | 5000 | < LOQ | ppm |
| Acetone | 1400 | 5000 | < LOQ | ppm |
| Acetonitrile | 246 | 410 | < LOQ | ppm |
| Benzene | 1.2 | 2 | < LOQ | ppm |
| Methanol | 1000 | 3000 | < LOQ | ppm |
| Propane | 250 | 5000 | < LOQ | ppm |
| Toluene | 534 | 890 | < LOQ | ppm |
| Dichloromethane | 360 | 600 | < LOQ | ppm |
| 1,4-Dioxane | 228 | 380 | < LOQ | ppm |
| 2-Butanol | 1400 | 5000 | < LOQ | ppm |
| 2-Ethoxyethanol | 96 | 160 | < LOQ | ppm |
| Cumene | 42 | 70 | < LOQ | ppm |
| Cyclohexane | 2278 | 3880 | < LOQ | ppm |
| Ethyl acetate | 1400 | 5000 | < LOQ | ppm |
| Ethyl ether | 1400 | 5000 | < LOQ | ppm |
| Ethylene glycol | 558 | 620 | < LOQ | ppm |
| Ethylene oxide | 30 | 50 | < LOQ | ppm |
| Heptane | 1400 | 5000 | < LOQ | ppm |
| Isopropyl acetate | 1400 | 5000 | < LOQ | ppm |
| Tetrahydrofuran | 432 | 720 | < LOQ | ppm |
| Ethanol | 1400 | NA ⁷ | < LOQ | ppm |

Date/Time Extracted: 11/27/19 13:50

Date/Time Analyzed: 11/27/19 18:20

Analysis Method/SOP: SOP.T.40.031

3 - Total butanes are calculated as sum of n-butanes (CAS# 106-97-8) and iso-butane (CAS# 75-28-5)

4 - Total hexanes are calculated as sum of n-hexane (CAS# 110-54-3), 2-methylpentane (CAS# 107-83-5), 3-methylpentane (CAS# 96-14-0), 2,2-dimethylbutane (CAS# 75-83-2), 2,3-dimethylbutane (CAS# 79-29-8)

5 - Total pentanes are calculated as sum of n-pentane (CAS# 109-66-0), iso-pentane (CAS# 78-78-4), and neo-pentane (CAS# 463-82-1)

6 - Total xylenes are calculated as 1,2-dimethylbenzene (CAS# 95-47-6), 1,3-dimethylbenzene (CAS# 106-42-3), and 1-4-dimethylbenzene (CAS# 106-42-3)

7 - Ethanol is not regulated under OAR-333-007-0410.

Results above the action level fail Oregon state testing requirements and will be highlighted **RED**. LOQ=Limit of Quantitation; PPM=Parts per million; ND=Not detected; NT=Not tested; AC=Above calibration range. PASS/FAIL status based on OAR 333-007. Analysis performed in conjunction with EVIO Labs Portland.



Stephanie Moon
 Laboratory Director

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19K137 - SOP.T.30.060 Pesticide Prep

| Blank(M19K137-BLK1) | | | | | | | |
|---------------------|--------|-------------|-----------------|--------------------|--------|-------------|-----------------|
| Analyte | Result | LOQ | Recovery Limits | Analyte | Result | LOQ | Recovery Limits |
| Cyfluthrin | < LOQ | 0.500 (ppm) | < LOQ | Cypermethrin | < LOQ | 0.500 (ppm) | < LOQ |
| MGK-264 | < LOQ | 0.100 (ppm) | < LOQ | Chlorfenapyr | < LOQ | 0.500 (ppm) | < LOQ |
| Methyl parathion | < LOQ | 0.100 (ppm) | < LOQ | Acequinocyl | < LOQ | 1.00 (ppm) | < LOQ |
| Bifenthrin | < LOQ | 0.100 (ppm) | < LOQ | Acephate | < LOQ | 0.200 (ppm) | < LOQ |
| Abamectin | < LOQ | 0.250 (ppm) | < LOQ | Acetamiprid | < LOQ | 0.100 (ppm) | < LOQ |
| Aldicarb | < LOQ | 0.200 (ppm) | < LOQ | Azoxystrobin | < LOQ | 0.100 (ppm) | < LOQ |
| Bifenazate | < LOQ | 0.100 (ppm) | < LOQ | Boscalid | < LOQ | 0.200 (ppm) | < LOQ |
| Carbaryl | < LOQ | 0.100 (ppm) | < LOQ | Carbofuran | < LOQ | 0.100 (ppm) | < LOQ |
| Chlorantraniliprole | < LOQ | 0.100 (ppm) | < LOQ | Chlorpyrifos | < LOQ | 0.100 (ppm) | < LOQ |
| Clofentezine | < LOQ | 0.100 (ppm) | < LOQ | Daminozide | < LOQ | 0.500 (ppm) | < LOQ |
| DDVP (Dichlorvos) | < LOQ | 0.500 (ppm) | < LOQ | Diazinon | < LOQ | 0.100 (ppm) | < LOQ |
| Dimethoate | < LOQ | 0.100 (ppm) | < LOQ | Ethoprophos | < LOQ | 0.100 (ppm) | < LOQ |
| Etofenprox | < LOQ | 0.200 (ppm) | < LOQ | Etoxazole | < LOQ | 0.100 (ppm) | < LOQ |
| Fenoxycarb | < LOQ | 0.100 (ppm) | < LOQ | Fenpyroximate | < LOQ | 0.200 (ppm) | < LOQ |
| Fipronil | < LOQ | 0.200 (ppm) | < LOQ | Flonicamid | < LOQ | 0.500 (ppm) | < LOQ |
| Fludioxonil | < LOQ | 0.200 (ppm) | < LOQ | Hexythiazox | < LOQ | 0.500 (ppm) | < LOQ |
| Imazalil | < LOQ | 0.100 (ppm) | < LOQ | Imidacloprid | < LOQ | 0.200 (ppm) | < LOQ |
| Kresoxim-methyl | < LOQ | 0.200 (ppm) | < LOQ | Malathion | < LOQ | 0.100 (ppm) | < LOQ |
| Metalaxyl | < LOQ | 0.100 (ppm) | < LOQ | Methiocarb | < LOQ | 0.100 (ppm) | < LOQ |
| Methomyl | < LOQ | 0.200 (ppm) | < LOQ | Myclobutanil | < LOQ | 0.100 (ppm) | < LOQ |
| Naled | < LOQ | 0.250 (ppm) | < LOQ | Oxamyl | < LOQ | 0.500 (ppm) | < LOQ |
| Paclobutrazol | < LOQ | 0.200 (ppm) | < LOQ | Permethrins | < LOQ | 0.100 (ppm) | < LOQ |
| Phosmet | < LOQ | 0.100 (ppm) | < LOQ | Piperonyl butoxide | < LOQ | 1.00 (ppm) | < LOQ |
| Prallethrin | < LOQ | 0.100 (ppm) | < LOQ | Propiconazole | < LOQ | 0.200 (ppm) | < LOQ |
| Propoxur | < LOQ | 0.100 (ppm) | < LOQ | Pyrethrins | < LOQ | 0.500 (ppm) | < LOQ |
| Pyridaben | < LOQ | 0.100 (ppm) | < LOQ | Spinosad | < LOQ | 0.100 (ppm) | < LOQ |
| Spiromesifen | < LOQ | 0.100 (ppm) | < LOQ | Spirotetramat | < LOQ | 0.100 (ppm) | < LOQ |
| Spiroxamine | < LOQ | 0.200 (ppm) | < LOQ | Tebuconazole | < LOQ | 0.200 (ppm) | < LOQ |
| Thiacloprid | < LOQ | 0.100 (ppm) | < LOQ | Thiamethoxam | < LOQ | 0.100 (ppm) | < LOQ |
| Trifloxystrobin | < LOQ | 0.100 (ppm) | < LOQ | | | | |

| LCS(M19K137-BS1) | | | | | | | |
|------------------|------------|-------------|-----------------|--------------|------------|-------------|-----------------|
| Analyte | % Recovery | LOQ | Recovery Limits | Analyte | % Recovery | LOQ | Recovery Limits |
| Cyfluthrin | 217 | 0.500 (ppm) | 50-150 | Cypermethrin | 180 | 0.500 (ppm) | 50-150 |
| MGK-264 | 122 | 0.100 (ppm) | 50-150 | Chlorfenapyr | 130 | 0.500 (ppm) | 50-150 |
| Methyl parathion | 67.1 | 0.100 (ppm) | 50-150 | Acequinocyl | 57.3 | 1.00 (ppm) | 50-150 |
| Bifenthrin | 114 | 0.100 (ppm) | 50-150 | Acephate | 96.8 | 0.200 (ppm) | 50-150 |


Stephanie Moon
 Laboratory Director

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19K137 - SOP.T.30.060 Pesticide Prep (Continued)

| LCS(M19K137-BS1) | | | | | | | |
|---------------------|------------|-------------|-----------------|--------------------|------------|-------------|-----------------|
| Analyte | % Recovery | LOQ | Recovery Limits | Analyte | % Recovery | LOQ | Recovery Limits |
| Abamectin | 105 | 0.250 (ppm) | 50-150 | Acetamiprid | 94.5 | 0.100 (ppm) | 50-150 |
| Aldicarb | 113 | 0.200 (ppm) | 50-150 | Azoxystrobin | 95.5 | 0.100 (ppm) | 50-150 |
| Bifenazate | 91.9 | 0.100 (ppm) | 50-150 | Boscalid | 115 | 0.200 (ppm) | 50-150 |
| Carbaryl | 99.6 | 0.100 (ppm) | 50-150 | Carbofuran | 109 | 0.100 (ppm) | 50-150 |
| Chlorantraniliprole | 40.3 | 0.100 (ppm) | 50-150 | Chlorpyrifos | 122 | 0.100 (ppm) | 50-150 |
| Clofentezine | 83.2 | 0.100 (ppm) | 50-150 | Daminozide | 32.3 | 0.500 (ppm) | 50-150 |
| DDVP (Dichlorvos) | 134 | 0.500 (ppm) | 50-150 | Diazinon | 93.6 | 0.100 (ppm) | 50-150 |
| Dimethoate | 105 | 0.100 (ppm) | 50-150 | Ethoprophos | 106 | 0.100 (ppm) | 50-150 |
| Etofenprox | 126 | 0.200 (ppm) | 50-150 | Etoxazole | 104 | 0.100 (ppm) | 50-150 |
| Fenoxycarb | 107 | 0.100 (ppm) | 50-150 | Fenpyroximate | 94.5 | 0.200 (ppm) | 50-150 |
| Fipronil | 119 | 0.200 (ppm) | 50-150 | Flonicamid | 108 | 0.500 (ppm) | 50-150 |
| Fludioxonil | 108 | 0.200 (ppm) | 50-150 | Hexythiazox | 94.1 | 0.500 (ppm) | 50-150 |
| Imazalil | 99.5 | 0.100 (ppm) | 50-150 | Imidacloprid | 86.7 | 0.200 (ppm) | 50-150 |
| Kresoxim-methyl | 108 | 0.200 (ppm) | 50-150 | Malathion | 120 | 0.100 (ppm) | 50-150 |
| Metalaxyl | 97.9 | 0.100 (ppm) | 50-150 | Methiocarb | 103 | 0.100 (ppm) | 50-150 |
| Methomyl | 98.7 | 0.200 (ppm) | 50-150 | Myclobutanil | 121 | 0.100 (ppm) | 50-150 |
| Naled | 97.4 | 0.250 (ppm) | 50-150 | Oxamyl | 96.0 | 0.500 (ppm) | 50-150 |
| Paclobutrazol | 107 | 0.200 (ppm) | 50-150 | Permethrins | 118 | 0.100 (ppm) | 50-150 |
| Phosmet | 111 | 0.100 (ppm) | 50-150 | Piperonyl butoxide | 91.8 | 1.00 (ppm) | 50-150 |
| Prallethrin | 101 | 0.100 (ppm) | 50-150 | Propiconazole | 107 | 0.200 (ppm) | 50-150 |
| Propoxur | 97.4 | 0.100 (ppm) | 50-150 | Pyrethrins | 113 | 0.500 (ppm) | 50-150 |
| Pyridaben | 87.4 | 0.100 (ppm) | 50-150 | Spinosad | 91.4 | 0.100 (ppm) | 50-150 |
| Spiromesifen | 108 | 0.100 (ppm) | 50-150 | Spirotetramat | 97.9 | 0.100 (ppm) | 50-150 |
| Spiroxamine | 97.8 | 0.200 (ppm) | 50-150 | Tebuconazole | 109 | 0.200 (ppm) | 50-150 |
| Thiacloprid | 95.8 | 0.100 (ppm) | 50-150 | Thiamethoxam | 95.4 | 0.100 (ppm) | 50-150 |
| Trifloxystrobin | 102 | 0.100 (ppm) | 50-150 | | | | |

Batch: M19K142 - SOP.T.30.050 Prep for Cannabinoids

| Blank(M19K142-BLK1) | | | | | | | |
|----------------------------|--------|-----------|-----------------|-------------|--------|-----------|-----------------|
| Analyte | Result | LOQ | Recovery Limits | Analyte | Result | LOQ | Recovery Limits |
| THCA | < LOQ | 0.200 (%) | < LOQ | delta 9-THC | < LOQ | 0.200 (%) | < LOQ |
| CBDA | < LOQ | 0.200 (%) | < LOQ | CBD | < LOQ | 0.200 (%) | < LOQ |
| CBDV-A | < LOQ | 0.200 (%) | < LOQ | CBDV | < LOQ | 0.200 (%) | < LOQ |
| CBG | < LOQ | 0.200 (%) | < LOQ | CBGA | < LOQ | 0.200 (%) | < LOQ |
| CBN | < LOQ | 0.200 (%) | < LOQ | CBC | < LOQ | 0.200 (%) | < LOQ |
| Sum of tested Cannabinoid: | < LOQ | 0.200 (%) | < LOQ | | | | |



Stephanie Moon
 Laboratory Director

EVIO Labs Medford (pka Kenevir Research)
540 East Vilas Road, Suite F, Central Point, OR 97502
541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: M19K142 - SOP.T.30.050 Prep for Cannabinoids (Continued)

| LCS(M19K142-BS1) | | | | | | | |
|------------------|------------|-----|-----------------|-------------|------------|-----|-----------------|
| Analyte | % Recovery | LOQ | Recovery Limits | Analyte | % Recovery | LOQ | Recovery Limits |
| THCA | 94.6 | (%) | 70-130 | delta 9-THC | 110 | (%) | 70-130 |
| CBDA | 102 | (%) | 70-130 | CBD | 105 | (%) | 70-130 |

Batch: P19K201 - SOP.T.40.031 Solvents

| Blank(P19K201-BLK1) | | | | | | | |
|---------------------|--------|------------|-----------------|---------------------|--------|------------|-----------------|
| Analyte | Result | LOQ | Recovery Limits | Analyte | Result | LOQ | Recovery Limits |
| Butanes | < LOQ | 250 (ppm) | < LOQ | n-Butane | < LOQ | 250 (ppm) | < LOQ |
| iso-Butane | < LOQ | 250 (ppm) | < LOQ | Hexanes | < LOQ | 174 (ppm) | < LOQ |
| n-Hexane | < LOQ | 174 (ppm) | < LOQ | 2-Methylpentane | < LOQ | 174 (ppm) | < LOQ |
| 3-Methylpentane | < LOQ | 174 (ppm) | < LOQ | 2,2-Dimethylbutane | < LOQ | 174 (ppm) | < LOQ |
| 2,3-Dimethylbutane | < LOQ | 174 (ppm) | < LOQ | Pentanes | < LOQ | 1400 (ppm) | < LOQ |
| n-Pentane | < LOQ | 1400 (ppm) | < LOQ | iso-Pentane | < LOQ | 1400 (ppm) | < LOQ |
| Neopentane | < LOQ | 250 (ppm) | < LOQ | Xylenes | < LOQ | 1302 (ppm) | < LOQ |
| 1,2-Dimethylbenzene | < LOQ | 1302 (ppm) | < LOQ | 1,3-Dimethylbenzene | < LOQ | 1302 (ppm) | < LOQ |
| 1,4-Dimethylbenzene | < LOQ | 1302 (ppm) | < LOQ | Xylenes MP | < LOQ | 1302 (ppm) | < LOQ |
| Ethyl benzene | < LOQ | 1302 (ppm) | < LOQ | 2-Propanol (IPA) | < LOQ | 1400 (ppm) | < LOQ |
| Acetone | < LOQ | 1400 (ppm) | < LOQ | Acetonitrile | < LOQ | 246 (ppm) | < LOQ |
| Benzene | < LOQ | 1.2 (ppm) | < LOQ | Methanol | < LOQ | 1000 (ppm) | < LOQ |
| Propane | < LOQ | 250 (ppm) | < LOQ | Toluene | < LOQ | 534 (ppm) | < LOQ |
| Dichloromethane | < LOQ | 360 (ppm) | < LOQ | 1,4-Dioxane | < LOQ | 228 (ppm) | < LOQ |
| 2-Butanol | < LOQ | 1400 (ppm) | < LOQ | 2-Ethoxyethanol | < LOQ | 96 (ppm) | < LOQ |
| Cumene | < LOQ | 42 (ppm) | < LOQ | Cyclohexane | < LOQ | 2278 (ppm) | < LOQ |
| Ethyl acetate | < LOQ | 1400 (ppm) | < LOQ | Ethyl ether | < LOQ | 1400 (ppm) | < LOQ |
| Ethylene glycol | < LOQ | 558 (ppm) | < LOQ | Ethylene oxide | < LOQ | 30 (ppm) | < LOQ |
| Heptane | < LOQ | 1400 (ppm) | < LOQ | Isopropyl acetate | < LOQ | 1400 (ppm) | < LOQ |
| Tetrahydrofuran | < LOQ | 432 (ppm) | < LOQ | Ethanol | < LOQ | 1400 (ppm) | < LOQ |

| LCS(P19K201-BS1) | | | | | | | |
|---------------------|------------|-------|-----------------|---------------------|------------|-------|-----------------|
| Analyte | % Recovery | LOQ | Recovery Limits | Analyte | % Recovery | LOQ | Recovery Limits |
| Butanes | 77.7 | (ppm) | 0-200 | n-Butane | 82.2 | (ppm) | 50-150 |
| iso-Butane | 73.3 | (ppm) | 50-150 | Hexanes | 98.8 | (ppm) | 0-200 |
| n-Hexane | 98.7 | (ppm) | 70-130 | 2-Methylpentane | 101 | (ppm) | 70-130 |
| 3-Methylpentane | 99.2 | (ppm) | 70-130 | 2,2-Dimethylbutane | 97.7 | (ppm) | 70-130 |
| 2,3-Dimethylbutane | 97.3 | (ppm) | 70-130 | Pentanes | 86.5 | (ppm) | 0-200 |
| n-Pentane | 94.6 | (ppm) | 70-130 | iso-Pentane | 93.9 | (ppm) | 70-130 |
| Neopentane | 83.1 | (ppm) | 50-150 | Xylenes | 90.6 | (ppm) | 0-200 |
| 1,2-Dimethylbenzene | 89.4 | (ppm) | 70-130 | 1,3-Dimethylbenzene | 91.1 | (ppm) | 70-130 |



Stephanie Moon
 Laboratory Director

EVIO Labs Medford (pka Kenevir Research)
 540 East Vilas Road, Suite F, Central Point, OR 97502
 541-668-7444 / OLCC 010-1001626980D / www.EVIOLabs.com

Quality Control

Batch: P19K201 - SOP.T.40.031 Solvents (Continued)

| LCS(P19K201-BS1) | | | | | | | |
|---------------------|------------|-------|-----------------|-------------------|------------|------------|-----------------|
| Analyte | % Recovery | LOQ | Recovery Limits | Analyte | % Recovery | LOQ | Recovery Limits |
| 1,4-Dimethylbenzene | 91.1 | (ppm) | 70-130 | Xylenes MP | | 1302 (ppm) | 0-200 |
| Ethyl benzene | 91.7 | (ppm) | 70-130 | 2-Propanol (IPA) | 101 | (ppm) | 70-130 |
| Acetone | 99.7 | (ppm) | 70-130 | Acetonitrile | 101 | (ppm) | 70-130 |
| Benzene | 102 | (ppm) | 70-130 | Methanol | 105 | (ppm) | 70-130 |
| Propane | 56.8 | (ppm) | 50-150 | Toluene | 95.2 | (ppm) | 70-130 |
| Dichloromethane | 102 | (ppm) | 70-130 | 1,4-Dioxane | 99.6 | (ppm) | 70-130 |
| 2-Butanol | 100 | (ppm) | 70-130 | 2-Ethoxyethanol | 120 | (ppm) | 70-130 |
| Cumene | 88.1 | (ppm) | 50-150 | Cyclohexane | 95.6 | (ppm) | 70-130 |
| Ethyl acetate | 100 | (ppm) | 70-130 | Ethyl ether | 99.9 | (ppm) | 70-130 |
| Ethylene glycol | 88.6 | (ppm) | 70-130 | Ethylene oxide | 95.4 | (ppm) | 50-150 |
| Heptane | 97.0 | (ppm) | 70-130 | Isopropyl acetate | 99.6 | (ppm) | 70-130 |
| Tetrahydrofuran | 99.5 | (ppm) | 70-130 | Ethanol | 102 | (ppm) | 70-130 |



Stephanie Moon
 Laboratory Director